



EU-Type Examination Certificate

No. M6R 020132 0323 Rev. 00

Manufacturer: Pilz GmbH & Co. KG
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Product: Automation Equipment, Safety Related
Components

Model(s): Operating-mode Switch "PIT mode-fusion"

Parameters: Power supply: 24VDC -15% +10%
Safety output: 24VDC, 20mA
Protection class: up to IP54 (installed)

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO107360C_A in the current valid revision.

This EU-type examination certificate is issued based on Machinery Regulation (EU) 2023/1230 Article 25 (2) (a) respectively Article 25 (3) (b) and confirms compliance with the applicable essential health and safety requirements for the above mentioned Annex I (Part A or Part B) machinery or related product. The test basis are the referenced (harmonized) standards as well as common and technical specifications (if applicable).

This EU-type examination certificate refers exclusively to the machinery or related product presented to TÜV SÜD Group for testing and certification and its technical documentation.

For further details please see: www.tuvsud.com/ps-cert

Test report no.: PO107360C

Valid until: 2031-07-28

Date, 2026-07-29

(Matthias Ramold)

Page 1 of 2

TÜV SÜD Product Service GmbH is Notified Body according to Machinery Regulation (EU) 2023/1230 relating to products within the scope of this regulation, notified by publication on NANDO Information System of the EC with identification NB 0123. Start of legal „content based“ certificate validity: 2027-01-20. CE marking followed by the identification number „0123“ shall be affixed by the manufacturer or the manufacturer's authorised representative to the machinery or related product prior to place the product on market.



EU-Type Examination Certificate

No. M6R 020132 0323 Rev. 00

Tested according to harmonised standard(s):
-/-

Common specification(s):
-/-

Other technical specifications:
 EN 61508-1:2010 (SIL 2)
 EN 61508-2:2010 (SIL 2)
 EN 61508-3:2010 (SIL 2)
 EN ISO 13849-1:2023 (Cat. 3, PL d)
 EN ISO 16090-1:2022
 EN 60204-1:2018



EC-Type Examination Certificate

No. M6A 020132 0279 Rev. 02

Holder of Certificate: Pilz GmbH & Co. KG
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Product: Automation Equipment, Safety Related
Components

Model(s): Operating-mode Switch "PIT mode-fusion"

Parameters: Power supply: 24VDC -15% +10%
Safety output: 24VDC, 20mA
Protection class: up to IP54 (installed)

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO107360C_A in the current valid revision.

This EC Type Examination Certificate is issued according to Article 12(3) b or 12(4) a of Council Directive 2006/42/EC relating to machinery. It confirms that the listed Annex-IV equipment complies with the principal protection requirements of the directive. It refers only to the sample submitted to TÜV SÜD Product Service GmbH for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: PO107360C

Valid until: 2031-07-28

Date, 2026-07-29

(Matthias Ramold)



CERTIFICATE

No. Z10 020132 0278 Rev. 02

Holder of Certificate: **Pilz GmbH & Co. KG**
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Certification Mark:



Product: **Automation Equipment, Safety Related Components**

Model(s): **Operating-mode Switch "PIT mode-fusion"**

Parameters: Power supply: 24VDC -15% +10%
Safety output: 24VDC, 20mA
Protection class: up to IP54 (installed)

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO107360C_A in the current valid revision.

Tested according to: EN 61508-1:2010 (SIL 2)
EN 61508-2:2010 (SIL 2)
EN 61508-3:2010 (SIL 2)
EN ISO 13849-1:2023 (Cat. 3, PL d)
EN ISO 16090-1:2022
EN 60204-1:2018

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: PO107360C

Valid until: 2031-07-28

Date, 2026-07-29

(Matthias Ramold)

Liste der Varianten der Betriebsarten-Wahlschalter PITmode fusion

**List of variants of
Operating-mode Switch
PITmode fusion**

Hersteller / Manufacturer:

Pilz GmbH & Co. KG
Felix-Wankel-Straße 2
D-73760 Ostfildern
Germany

Bericht-Nr. / Report no: PO107360C_A

Revision 2.0
2026-07-29

Prüfstelle / Test body:

TÜV SÜD RAIL GmbH
Rail Automation
Westendstraße 199
D-80686 München

Zertifizierungsstelle / Certification body:

TÜV SÜD Product Service GmbH
Ridlerstraße 65
D-80339 München

Inhalt / content: Seite / Page

1	Sichere Auswerteeinheit / Safe Evaluation Unit:	3
2	Authentifizierungssysteme / Authentication Systems:	4
2.1	Authentifizierungssystem PITreader Key / Authentication Systems PITreader Key:	4
2.2	Authentifizierungssystem PITreader Card / Authentication Systems PITreader Card:	4
3	Zubehör / Accessories:	5
3.1	Klemmen / Terminal blocks	5
3.2	Transponder-Schlüssel / Transponder Key	5
3.3	Transponder-Karten / Transponder Cards	6
3.4	Transponder-Sticker / Transponder Stickers	7
4	Freigabe / Release:	9

Änderungshistorie / Change history:

Version	Name	Datum / Date	Änderungen / Changes
1.0	Jens Luther	2019-05-20	Erste Ausgabe / First release
1.1	Dr. Julian Wolf	2021-01-25	Report PO96275T (FW 1.1) eingefügt / Included Report PO96275T (FW 1.1)
1.2	Dr. Julian Wolf	2021-09-06	PITreader S base unit eingefügt / Added PITreader S base unit Report PO96865T eingefügt / Included Report PO96865T
1.3	Dr. Julian Wolf	2022-04-05	Abschnitt 2.1 angepasst/ Section 2.1 adapted Abschnitte 2.2, 3.3 und 3.4 hinzugefügt / Sections 2.2, 3.3 and 3.4 added
1.4	Wolfgang Mayer	2025-01-17	Re-Zertifizierung / Recertification PO104244T
2.0	Dr. Julian Wolf	2026-07-29	Umbenennung zu / Re-Naming to PO107360C_A (formerly PO94001T) Report PO107359A eingefügt / Included Report PO107359A Formale Anpassungen / Formal adaptations

1 Sichere Auswerteeinheit / Safe Evaluation Unit:

Typ / Type (Sachnummer/Order No.) Beschreibung / Description Version Interner Bericht / Internal Report		Beschreibung / Description			Version	Interner Bericht / Internal Report
PIT m4SEU (402250)		PITmode Sichere Auswerteeinheit PITmode Safe Evaluation Unit			1.0	PO93844T PO96275T PO107359T
Sicherheitstechnische Kenndaten der Sicherheitsausgänge Safety-related characteristics of the safety outputs						
PL	Category	SIL	PFH _D [1/h]	PFD	T _{mission} [Year]	
d	3	2	6,49·10 ⁻⁰⁹	3,99·10 ⁻⁰⁴	20	

2 Authentifizierungssysteme / Authentication Systems:

2.1 Authentifizierungssystem PITreader Key / Authentication Systems PITreader Key:

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader base unit (402255)	Authentifizierungssystem via RFID Key Reader, Basiseinheit Authentication system via RFID key Reader, base unit	ab / from 01	PO93844T PO96865T PO104244T
PITreader S base unit (402256)	Authentifizierungssystem via RFID Key Reader, Basiseinheit S Authentication system via RFID key Reader, base unit S	ab / from 02	PO96865T PO104244T
PITreader key adapter h (402308xxx)	PITreader Schlüsselaufnahme horizontal + 1x Mutter PITreader key adapter horizontal + 1x nut	1.0	PO93844T PO104244T
Hinweis / Remark			
Sachnummer: „xxx“ = Variante der Bedruckung oder Grundfarbe des Gehäuses Order No: „xxx“ = Variant of printing or basic color of the housing			

2.2 Authentifizierungssystem PITreader Card / Authentication Systems PITreader Card:

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader card unit (402320)	Authentifizierungssystem via RFID Card Reader, Basiseinheit und card Adapter Authentication system via RFID Reader, base unit and card adapter	ab / from 01	PO98556T PO104244T
PITreader S card unit (402321)	Authentifizierungssystem via RFID Card Reader, Basiseinheit S und card Adapter Authentication system via RFID Reader, base unit S and card adapter	ab / from 01	PO98556T PO104244T
Hinweis / Remark			
Sachnummer: „xxx“ = Variante der Bedruckung oder Grundfarbe des Gehäuses Order No: „xxx“ = Variant of printing or basic color of the housing			

3 Zubehör / Accessories:

3.1 Klemmen / Terminal blocks

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PIT m4SEU terminal set spring load (402306)	Steckersatz für sicheres Auswertegerät für Betriebsartenwahl: PIT m4SEU [402250]. Bestehend aus 1 x 4pol., 1 x 5pol., 1 x 8pol. und 1 x 12pol. Buchsenleiste in Federkraftausführung, Kabelabgang gerade. Connector set for safe evaluation unit for operating mode selection: PIT m4SEU [402250]. Consisting of 1 x 4-pin, 1 x 5-pin, 1 x 8-pin and 1 x 12-pin female connector strip spring force version. Cable outlet straight.	1.0	PO93844T PO104244T

3.2 Transponder-Schlüssel / Transponder Key

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader key ye g (402260xxx)	Transponder-Schlüssel GELB, GENERISCH für elektronischen RFID Reader PITreader; Frei konfigurierbar. Transponder key YELLOW, GENERIC for electronic RFID reader: PITreader; Fully configurable.	1.0	PO93844T PO104244T
PITreader key ye 1 (402261xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 1. Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 1.	1.0	PO93844T PO104244T
PITreader key ye 2 (402262xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 2. Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 2.	1.0	PO93844T PO104244T
PITreader key ye 3 (402263xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 3. Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 3.	1.0	PO93844T PO104244T

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader key ye 4 (402264xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 4. Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 4.	1.0	PO93844T PO104244T
PITreader key ye 5 (402265xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 5. Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5.	1.0	PO93844T PO104244T
PITreader key ye 5 service (402269xxx)	Transponder-Schlüssel GELB für elektronischen RFID Reader PITreader; Berechtigung 5 (Service). Transponder key YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5 (service).	1.0	PO93844T PO104244T
Hinweis / Remark			
Sachnummer: „xxx“ = Variante der Bedruckung oder Grundfarbe des Gehäuses			
Order No: „xxx“ = Variant of printing or basic color of the housing			

3.3 Transponder-Karten / Transponder Cards

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader card ye g (402330xxx)	Transponder-Karte GELB, GENERISCH für elektronischen RFID Reader PITreader; Frei konfigurierbar. Transponder card YELLOW, GENERIC for electronic RFID reader: PITreader; Fully configurable.	1.0	PO98556T PO104244T
PITreader card ye 1 (402331xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 1. Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 1.	1.0	PO98556T PO104244T
PITreader card ye 2 (402332xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 2. Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 2.	1.0	PO98556T PO104244T

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader card ye 3 (402333xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 3. Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 3.	1.0	PO98556T PO104244T
PITreader card ye 4 (402334xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 4. Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 4.	1.0	PO98556T PO104244T
PITreader card ye 5 (402335xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 5. Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5.	1.0	PO98556T PO104244T
PITreader card ye 5 service (402339xxx)	Transponder-Karte GELB für elektronischen RFID Reader PITreader; Berechtigung 5 (Service). Transponder card YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5 (service).	1.0	PO98556T PO104244T
Hinweis / Remark			
Sachnummer: „xxx“ = Variante der Bedruckung oder Grundfarbe des Gehäuses Order No: „xxx“ = Variant of printing or basic color of the housing			

3.4 Transponder-Sticker / Transponder Stickers

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader sticker ye g (402340xxx)	Transponder-Sticker GELB, GENERISCH für elektronischen RFID Reader PITreader; Frei konfigurierbar. Transponder sticker YELLOW, GENERIC for electronic RFID reader: PITreader; Fully configurable.	1.0	PO98556T PO104244T
PITreader sticker ye 1 (402341xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 1. Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 1.	1.0	PO98556T PO104244T

Typ / Type (Sachnummer/Order No.)	Beschreibung / Description	Version	Interner Bericht / Internal Report
PITreader sticker ye 2 (402342xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 2. Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 2.	1.0	PO98556T PO104244T
PITreader sticker ye 3 (402343xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 3. Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 3.	1.0	PO98556T PO104244T
PITreader sticker ye 4 (402344xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 4. Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 4.	1.0	PO98556T PO104244T
PITreader sticker ye 5 (402345xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 5. Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5.	1.0	PO98556T PO104244T
PITreader sticker ye 5 service (402349xxx)	Transponder-Sticker GELB für elektronischen RFID Reader PITreader; Berechtigung 5 (Service). Transponder sticker YELLOW for electronic RFID reader: PITreader; Material: plastic; Permission 5 (service).	1.0	PO98556T PO104244T
Hinweis / Remark			
Sachnummer: "xxx" = Variante der Bedruckung oder Grundfarbe des Gehäuses Order No: „xxx“ = Variant of printing or basic color of the housing			

4 Freigabe / Release:

	Freigabe Prüfstelle: Release by Test Body:	Freigabe Zertifizierstelle: Release by Certification Body:
Datum: Date:	 Julian Wolf	 Matthias Ramold
Unterschrift: Signature:	2026.07.29 09:37:14 +02'00'	2026.07.29 11:13:03 +02'00'