



EU-Type Examination Certificate

No. M6R 020132 0321 Rev. 00

Manufacturer: **Pilz GmbH & Co. KG**
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Product: **Safety components**
Safety Relay

Model(s): **PNOZclassic**

Parameters: Power supply: 12V - 24V DC
24V - 240V AC
24V - 240V AC/DC
Protection class: IP20

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO88749T in the current valid revision.

This EU-type examination certificate is issued based on Machinery Regulation (EU) 2023/1230 Article 25 (2) (a) respectively Article 25 (3) (b) and confirms compliance with the applicable essential health and safety requirements for the above mentioned Annex I (Part A or Part B) machinery or related product. The test basis are the referenced (harmonized) standards as well as common and technical specifications (if applicable).

This EU-type examination certificate refers exclusively to the machinery or related product presented to TÜV SÜD Group for testing and certification and its technical documentation.

For further details please see: www.tuvsud.com/ps-cert

Test report no.: PO88748C

Valid until: 2031-07-23

Date, 2026-07-27

(Matthias Ramold)

Page 1 of 2

TÜV SÜD Product Service GmbH is Notified Body according to Machinery Regulation (EU) 2023/1230 relating to products within the scope of this regulation, notified by publication on NANDO Information System of the EC with identification NB 0123. Start of legal „content based“ certificate validity: 2027-01-20. CE marking followed by the identification number “0123” shall be affixed by the manufacturer or the manufacturer’s authorised representative to the machinery or related product prior to place the product on market.



EU-Type Examination Certificate

No. M6R 020132 0321 Rev. 00

Tested according to harmonised standard(s):
-/-

Common specification(s):
-/-

Other technical specifications:

 EN ISO 13849-1:2023 (up to Cat. 4 PL e)
 EN IEC 62061:2021 (maximum SIL 3)
 EN 60947-5-1:2017



EC-Type Examination Certificate

No. M6A 020132 0268 Rev. 03

Holder of Certificate: **Pilz GmbH & Co. KG**
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Product: **Safety components**
Safety Relay

Model(s): **PNOZclassic**

Parameters: Power Supply: 12V - 24V DC
24V - 240V AC
24V - 240V AC/DC
Protection class: IP20

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO88749T in the current valid revision.

This EC Type Examination Certificate is issued according to Article 12(3) b or 12(4) a of Council Directive 2006/42/EC relating to machinery. It confirms that the listed Annex-IV equipment complies with the principal protection requirements of the directive. It refers only to the sample submitted to TÜV SÜD Product Service GmbH for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: PO88748C

Valid until: 2031-07-26

Date, 2026-07-27

(Matthias Ramold)



CERTIFICATE

No. Z10 020132 0267 Rev. 03

Holder of Certificate: Pilz GmbH & Co. KG
Felix-Wankel-Str. 2
73760 Ostfildern
GERMANY

Certification Mark:



Product: Safety components
Safety Relay

Model(s): PNOZclassic

Parameters: Power supply: 12V - 24V DC
24V - 240V AC
24V - 240V AC/DC
Protection class: IP20

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report PO88749T in the current valid revision.

Tested according to: EN ISO 13849-1:2023 (up to Cat. 4 PL e)
EN IEC 62061:2021 (maximum SIL 3)
EN 60947-5-1:2017

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: PO88748C

Valid until: 2031-07-23

Date, 2026-07-27

(Matthias Ramold)



Liste der Varianten der Sicherheitsschaltgeräte-Familie PNOZclassic

**List of variants
of safety relay family
PNOZclassic**

Hersteller/Manufacturer:

Pilz GmbH & Co. KG
Felix-Wankel-Straße 2
D-73760 Ostfildern
Germany

Bericht-Nr./Report no:

PO88749T

Revision **1.5**

2026-07-24

Testing Laboratory for Safety Components:

TÜV SÜD RAIL GmbH
Rail – Automation
Westendstraße 199
80686 München

Diese Liste darf ohne schriftliche Genehmigung der TÜV SÜD RAIL GmbH **nicht auszugsweise** vervielfältigt werden.
It is prohibited to reproduce **any part of this list** without prior written authorisation of TÜV SÜD RAIL GmbH.

This report may be represented only in full wording. The use for promotion needs written permission. This report contains the result of a unique investigation of the product being tested and places no generally valid judgment about characteristics out of the running fabrication.
Official translations of this technical report are to be authorized by the test and certification body.

Inhalt/content:

Seite/Page

1	PNOZ.....	3
1.1	PNOZ (2006/42/EC, EU 2023/1230)	3
1.2	PNOZ (2006/42/EC)	7
2	PNOZ V (2006/42/EC, EU 2023/1230)	11
3	PST.....	13
3.1	PST (2006/42/EC, EU 2023/1230).....	13
3.2	PST (2006/42/EC)	13
4	Anmerkung/Comment.....	15
4.1	Sicherheitskennwerte/Safety characteristics:	15

Änderungshistorie/Change history:

Version	Name	Datum/Date	Änderungen/Changes
1.0	Jens Luther	2016-06-14	Erste Ausgabe/First release
1.1	Jens Luther	2018-06-11	Korrekturen/Correction
1.2	Jens Luther	2021-06-01	Rezertifizierung/Re-certification
1.3	Jens Luther	2023-11-03	Rezertifizierung/Re-certification
1.4	Natalia Paredes	2025-07-10	New modification PO105048T v1.0
1.5	Rebeka Schneider	2026-07-24	Machinery regulation Update EN ISO 13849-1 2015 → 2023

Änderungen zur Vorgängerversion/Changes to the previous version:

Kapitel Chapter	Type Device	Bemerkung/Remarks
All	-	New modification PO107299T v1.0

1 PNOZ

1.1 PNOZ (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.

Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Showing articles are compliant with the machinery directive 2006/42/EC and can: 16th, 2021 and from Jan. 20th, 2021 compliant with the machinery regulation EU 2020/1200.								
Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 1 24V DC	775695	1.0	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34	2,31E-09	3	e	--
PNOZ 1 24V AC	775600	1.0						
PNOZ 1 110-120V AC	775630	1.0						
PNOZ 1 230-240V AC	775650	1.0						
PNOZ 2 230V AC	775850	1.0						



1 PNOZ

1.1 PNOZ (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 8 24V DC	774760	1.0	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34	2,31E-09	3	e	--
PNOZ 10 24V DC	774009	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--
PNOZ 10 48V AC	774002	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--
PNOZ 10 230-240V AC	774006	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--

1 PNOZ

1.1 PNOZ (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 11 24V AC / 24V DC	774080	3.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64 73-74	2,31E-09	3	e	--
PNOZ 11 42V AC / 24V DC	774081	3.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64 73-74	2,31E-09	3	e	--
PNOZ 11 110-120V AC / 24V DC	774085	3.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64 73-74	2,31E-09	3	e	--

1 PNOZ

1.1 PNOZ (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 11 230-240V AC / 24V DC	774086	3.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64 73-74	2,31E-09	3	e	--
PNOZ 15 24V DC	774050	3.1	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34	2,31E-09	3	e	--
PNOZ 16 24V AC / 24V DC	774060	4.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16 110V AC / 24V DC	774063	4.2						
PNOZ 16 230V AC / 24V DC	774066	4.2						
PNOZ 16S 24V AC / 24V DC	774070	4.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16S	774073	4.2	XXXXXXXT V1.0					

1 PNOZ

1.1 PNOZ (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
110V AC / 24V DC			PO105048T 1.0					
PNOZ 16S 230V AC / 24V DC	774076	4.2						
PNOZ 16SP 24V AC / 24V DC	777070	2.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16SP 230V AC / 24V DC	777076	2.2						

1.2 PNOZ (2006/42/EC)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th 2027.

Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 1 48V AC	775620	1.0	PO88748C V1.5 717509891 V1.1		2,31E-09	3	e	--



Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 2 24V AC	775800	1.0	PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34				
PNOZ 2 42V AC	775810	1.0	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34	2,31E-09	3	e	--
PNOZ 2 110V AC	775830	1.0						
PNOZ 8 24V AC	774770	1.0						
PNOZ 8 110V AC	774764	1.0						
PNOZ 8 230V AC	774768	1.0						
PNOZ 10 24V AC	774000	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--
PNOZ 10 42V AC	774001	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--



Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 10 110-120V AC	774003	3.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--
PNOZ 11 48V AC / 24V DC	774082	3.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24 33-34 43-44 53-54 63-64 73-74	2,31E-09	3	e	--
PNOZ 16 42V AC / 24V DC	774061	4.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16 48V AC / 24V DC	774062	4.2						
PNOZ 16 115V AC / 24V DC	774064	4.2						
PNOZ 16 120V AC / 24V DC	774065	4.2						
PNOZ 16 240V AC / 24V DC	774067	4.2						
PNOZ 16S 42V AC / 24V DC	774071	4.2	PO88748C V1.5 717509891 V1.1	13-14 23-24	2,31E-09	3	e	--
PNOZ 16S 48V AC / 24V DC	774072	4.2	PO96724T V1.0 XXXXXXXT V1.0					



Typ / Type	Sach-Nr. Order No.	Version	Internal Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ 16S 115V AC / 24V DC	774074	4.2	PO105048T 1.0					
PNOZ 16S 120V AC / 24V DC	774075	4.2	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16S 240V AC / 24V DC	774077	4.2						
PNOZ 16SP 24V AC / 24V DC	777070	1.1						
PNOZ 16SP 42V AC / 24V DC	777071	1.1	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	13-14 23-24	2,31E-09	3	e	--
PNOZ 16SP 48V AC / 24V DC	777072	2.2						
PNOZ 16P 110V AC / 24V DC	777073	2.2						
PNOZ 16SP 115V AC / 24V DC	777074	2.2						
PNOZ 16SP 120V AC / 24V DC	777075	2.2						
PNOZ 16SP 230V AC / 24V DC	787076	1.1						
PNOZ 16SP 240V AC / 24V DC	777077	2.2						
	787077	1.1						

2 PNOZ V (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.

Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung Remark
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PNOZ V 24V DC	774789	1.0	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	(tv = 0s) 13-14 23-24 33-34	2,31E-09	3	e	--
	774790			(tv < 30s) 57-58	2,64E-09	3	d	--
	774791			(tv > 30s) 57-58	2,87E-09	1	c	--
PNOZ 2VJ 24V DC	774012	5.1	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0 PO105048T 1.0	(tv = 0s) 13-14 23-24 33-34	2,31E-09	3	e	--
				(tv > 30s) 57-58 67-68	2,64E-09	3	d	--
PNOZ 2VQ 24V DC	774013	5.1	PO88748C V1.5 717509891 V1.1 PO96724T V1.0	(tv = 0s) 13-14 23-24 33-34	2,31E-09	3	e	--



2 PNOZ V (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.

Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung Remark
				Kontakte Contacts	PFH _D	Max. SIL	PL	
			XXXXXXT V1.0 PO105048T 1.0	(tv > 30s) 57-58 67-68	2,64E-09	3	d	--

3 PST

3.1 PST (2006/42/EC, EU 2023/1230)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG und ab dem 20.01.2027 konform zur Maschinenverordnung EU 2023/1230.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th, 2027 and from Jan 20th, 2027 compliant with the machinery regulation EU 2023/1230.

Typ / Type	Sach-Nr. Order No.	Version	Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PST 4 24V DC	720300	4.4	PO88748C V1.5 717509891 V1.1 PO96724T V1.0 XXXXXXXT V1.0	13-14 23-24 33-34 43-44 53-54 63-64	2,31E-09	3	e	--

3.2 PST (2006/42/EC)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG.
Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th 2027.

Typ / Type	Sach-Nr. Order No.	Version	Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PST 4 24V AC	720301	4.3	PO88748C V1.5 717509891 V1.1		2,31E-09	3	e	--
PST 4 42 AC	720303	4.3	PO96724T V1.0 XXXXXXXT V1.0					



3.2 PST (2006/42/EC)

Folgende Artikel sind bis zum 19.01.2027 konform zur Maschinenrichtlinie 2006/42/EG.

Following articles are compliant with the machinery directive 2006/42/EC until Jan. 19th 2027.

Typ / Type	Sach-Nr. Order No.	Version	Test-Report	Sicherheitsrelevante Strompfade Safety related circuits				Bemerkung / Remark
				Unverzögerte Kontakte Undelayed contacts				
				Kontakte Contacts	PFH _D	Max. SIL	PL	
PST 4 110V AC	720308	4.3		13-14 23-24 33-34 43-44 53-54 63-64				
PST 4 230V AC	720309	4.3						
PST 4 240V AC	720310	4.3						

4 Anmerkung/Comment

4.1 Sicherheitskennwerte/Safety characteristics:

T_{Mission}:	Für eine maximale Gebrauchsdauer von 20 Jahren gemäß EN ISO 13849-1. Der Wert gilt auch als Intervall der Wiederholungsprüfungen entsprechend EN 61508-6 und IEC 61511 und als Intervall für den Proof-Test und die Gebrauchsdauer nach EN 62061 For a maximum Mission Time of 20 years according to EN ISO 13849-1.
Cat.:	Maximal erreichbarer Gebrauchskategorie nach EN ISO 13849-1. Maximum achievable usage Category according to EN ISO 13849-1.
PL:	Maximal erreichbarer Leistungsgrad entsprechend EN 13849-1 Maximum obtainable Performance Level according to EN 13849-1.
Max. SIL:	Maximal erreichbarer Sicherheitsintegritätsstufe entsprechend EN / IEC 62061 Maximum obtainable Safety Integrity Level according to EN / IEC 62061
SIL:	Maximal erreichbarer Sicherheitsintegritätsstufe entsprechend EN 61508-6 und IEC 61511 Maximum obtainable Safety Integrity Level according to EN 61508-6 und IEC 61511
PFD:	Wahrscheinlichkeit eines gefährliche Versagens bei Anforderung der Sicherheitsfunktion Probability of Failure on Demand.
PFH_D:	Wahrscheinlichkeit eines gefahrbringenden Ausfalls pro Stunde Probability of a dangerous Failure per Hour
B10d	Lebensdauer kennwert gemäß EN ISO 13849-1. Die maximale Anzahl von Schaltzyklen darf innerhalb der festgelegten Gebrauchsdauer T _{Mission} nicht überschritten werden. Service life characteristic according to EN ISO 13849-1. The maximum number of switching cycles should not be exceeded within the period of use T _{Mission} .

EN ISO 13849-1:2023	Sicherheit von Maschinen - Sicherheitsbezogene Teile von Steuerungen - Teil 1: Allgemeine Gestaltungsleitsätze Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design
EN IEC 62061:2021	Sicherheit von Maschinen - Funktionale Sicherheit sicherheitsbezogener elektrischer, elektronischer und programmierbarer elektronischer Steuerungssysteme Safety of machinery - Functional safety of safety-related electrical, electronic and programmable electronic control systems
EN60947-5-1:2017	Niederspannungsschaltgeräte Teil 5-1: Steuergeräte und Schaltelemente - Elektromechanische Steuergeräte Low-voltage switchgear and controlgear Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices
2006/42/EC Valid until 2027-01-19	Directive 2006/42/EC of the European Parliament and of the Council of 2006-05-17 on machinery
2023/1230 Valid from 2027-01-20	REGULATION (EU) 2023/1230 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 June 2023 on machinery and repealing Directive 2006/42/EC of the European Parliament and of the Council and Council Directive 73/361/EEC

	Freigabe Prüfstelle: Release by Test Body:	Freigabe Zertifizierstelle: Release by Certification Body:
Unterschrift: Signature:	 Rebeka Schneider 2026.07.24 09:44:18 +02'00'	 Matthias Ramold 2026.07.24 15:37:21 +02'00'